

**Amendments to the Claims:**

1-27. (canceled)

28. (currently amended) An isolated polypeptide having at least 80% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130);

(b) the amino acid sequence of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130), lacking its associated signal peptide;

(c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130);

(d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 74 (SEQ ID NO:130), lacking its associated signal peptide;~~ or

[[~~(e)~~]] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203253;

wherein the polypeptide is capable of stimulating endothelial cell growth or the polypeptide is capable of inducing proliferation of kidney mesangial cells.

29. (currently amended) The isolated polypeptide of Claim 28 having at least 85% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130);

(b) the amino acid sequence of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130), lacking its associated signal peptide;

(c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130);

(d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 74 (SEQ ID NO:130), lacking its associated signal peptide;~~ or

[[~~(e)~~]] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203253;

wherein the polypeptide is capable of stimulating endothelial cell growth or the polypeptide is capable of inducing proliferation of kidney mesangial cells.

30. (currently amended) The isolated polypeptide of Claim 28 having at least 90% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130);

(b) the amino acid sequence of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130), lacking its associated signal peptide;

(c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130);

(d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 74 (SEQ ID NO:130), lacking its associated signal peptide;~~ or

[[e)] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203253;

wherein the polypeptide is capable of stimulating endothelial cell growth or the polypeptide is capable of inducing proliferation of kidney mesangial cells.

31. (currently amended) The isolated polypeptide of Claim 28 having at least 95% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130);

(b) the amino acid sequence of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130), lacking its associated signal peptide;

(c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130);

(d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 74 (SEQ ID NO:130), lacking its associated signal peptide;~~ or

[[e)] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203253;

wherein the polypeptide is capable of stimulating endothelial cell growth or the polypeptide is capable of inducing proliferation of kidney mesangial cells.

32. (currently amended) The isolated polypeptide of Claim 28 having at least 99% amino acid sequence identity to:

(a) the amino acid sequence of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130);

(b) the amino acid sequence of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130), lacking its associated signal peptide;

(c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130);

(d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 74 (SEQ ID NO:130), lacking its associated signal peptide;~~ or

[[e]] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203253;

wherein the polypeptide is capable of stimulating endothelial cell growth or the polypeptide is capable of inducing proliferation of kidney mesangial cells.

33. (currently amended) An isolated polypeptide comprising:

(a) the amino acid sequence of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130);

(b) the amino acid sequence of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130), lacking its associated signal peptide;

(c) the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:130 shown in Figure 74 (SEQ ID NO:130);

(d) ~~the amino acid sequence of the extracellular domain of the polypeptide shown in Figure 74 (SEQ ID NO:130), lacking its associated signal peptide;~~ or

[[e]] (d) the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203253.

34. (currently amended) The isolated polypeptide of Claim 33 comprising the amino acid sequence of the polypeptide of SEQ ID NO:130 ~~shown in Figure 74 (SEQ ID NO:130)~~.

35. (currently amended) The isolated polypeptide of Claim 33 comprising the amino acid sequence of the polypeptide of SEQ ID NO:130 ~~shown in Figure 74 (SEQ ID NO:130)~~, lacking its associated signal peptide.

36. (currently amended) The isolated polypeptide of Claim 33 comprising the amino acid sequence of the extracellular domain of the polypeptide of SEQ ID NO:130 ~~shown in Figure 74 (SEQ ID NO:130)~~.

37. (canceled)

38. (previously presented) The isolated polypeptide of Claim 33 comprising the amino acid sequence of the polypeptide encoded by the full-length coding sequence of the cDNA deposited under ATCC accession number 203253.

39. (previously presented) A chimeric polypeptide comprising a polypeptide according to Claim 28 fused to a heterologous polypeptide.

40. (previously presented) The chimeric polypeptide of Claim 39, wherein said heterologous polypeptide is an epitope tag or an Fc region of an immunoglobulin.